spirax sarco

TI-P180-43 CMGT Issue 4


CSF16 and CSF16T Stainless Steel Steam Filters

Description


The CSF16 and CSF16T are horizontal, in-line, high efficiency separators and are designed and manufactured to remove particulate contamination from steam systems. This product complies with EC1935:2004 Food Contact Materials. It also complies with regulation EC2023:2006 on good manufacturing practice for materials and articles intended to come into contact with food.

Industry	Steam In CSF16/CSF16T	Steam Out CSF16/CSF16T	
Pharmaceutical			
Healthcare		Filtered Plant Steam	
Other industries	Plant Steam		
Food and Beverage		Culinary Steam* *when 5µm filter element or finer is selected	

The filter housings are available in a choice of austenitic stainless steel and the material grades are defined in the table below. Also referenced is the surface finish and connection type that differ depending on the size of the housing.



DN8 to DN80



DN100 and DN150

Filter Housing model	Sizes	Material of Filter Housing (Bowl and Head)	Connection type (Bowl and Head)	Internal surface finish	External surface finish
CSF16,	SF16, DN80 (3") to DIN 11		Food industry fitting to DIN 11851	Etched, Passivated	Etched, Passivated and Polished Ra 1.6µm
CF16L*, CSF16H*	DN100 (4") and DN150 (6")	(304 stainless steel)	Nuts and Bolts	and Polished Ra 0.8µm	Etched and Passivated, Ra 5.8 micron
CSF16T,	DN8 (¼") to DN80 (3")	1.4404	Food industry fitting to DIN 11851	Etched, Passivated	Etched, Passivated and Polished Ra 1.6µm
CF16LT*, CSF16HT*	DN100 (4") and DN150 (6")	(316L stainless steel)	Nuts and Bolts	and Polished Ra 0.8µm	Etched and Passivated, Ra 5.8 micron.

^{*}In some pipe sizes the housing is available in a choice of low capacity designated 'L' and high capacity designated 'H'.

Replaceable elements in sintered austenitic stainless steel are available with either 1, 5 or 25 micron absolute rating. These are ordered separately to the Filter Housing.

Standards

These products fully comply with the requirements of the EU Pressure Equipment Directive/UK Pressure Equipment (Safety) Regulations and carry the Complex marks when so required.

The CSF16/CSF16T steam filters also comply with other country specific approvals:

When fitted with a 5 micron filter element, they are capable of removing 95% of particles 2 microns and larger in size, in accordance with the requirements for the production of culinary steam to 3A accepted practice number 609-03 (accepted in the US). This is subject to the installation being in accordance with 3A best practice guidelines (See installation section in IM-P180-42).

Department of Agriculture for use in federally inspected meat and poultry plants. All materials meet the requirements as stipulated by the US FDA Title 21 of Code of Federal Regulations.

All constituent materials and the finished product comply with EC1935:2004 and EC2023:2006

The complete product and component parts are, manufactured, assembled, tested and packaged in a facility verified and approved by an accredited registered body to ISO 9001:2015.

Certification

The CSF16/CSF16T can be supplied with material certification as per the table below. Note: All certification/inspection requirements must be stated at the time of order placement.

Housing PED Category (SEP, Category I, Category II)	EN10204 Inspection Documents
SEP	No certification supplied
Cat. I	No certification supplied
Cat. II	Type 3.1 (Inspection Certificate)

If type 3.1 certification is required for SEP or Cat. I Filter Housings, this must be ordered separately.

If type 3.1 certification is required for the filter elements, this must be ordered separately.

Filter Housings options matrix

CSF16 Filter Housing Options, PED Classification and Design Reference (PT Curve)

			Screwed Filter Housings (Design reference/PED Category)		Flanged Filter Housings (Design reference/PED Category)		
Filter Housing Size	Filter Housing code	Filter Housing Seal Material	BSP/NPT (PN10 Rating)	BSP/NPT (PN16 Rating)	EN 1092 (PN10 Rating)	EN 1092 (PN16 Rating)	EN 1735-1 (Class 150 Rating)
DN8 (1/4")	CSF 16			Design Ref. 1/SEP			
DN10 (3/8")	CSF 16			Design Ref. 1/SEP		Design Ref. 1/SEP	
DN15 (½")	CSF 16			Design Ref. 1/SEP		Design Ref. 1/SEP	Design Ref. 3/SEP
DN20 (¾")	CSF 16			Design Ref. 1/SEP		Design Ref. 1/SEP	Design Ref. 3/SEP
DN25 (1")	CSF 16	-		Design Ref. 1/SEP		Design Ref. 1/SEP	Design Ref. 3/SEP
DN32 (11/4")	CSF 16			Design Ref. 1/SEP		Design Ref. 1/SEP	Design Ref. 3/SEP
DN40 (1½")	CSF 16	EPM		Design Ref. 1/SEP		Design Ref. 1/SEP	Design Ref. 3/Cat. I
	CSF16L			Design Ref. 1/Cat. I		Design Ref. 1/Cat. I	Design Ref. 3/Cat. I
DN50 (2")	CSF16H	-		Design Ref. 1/Cat. I		Design Ref. 1/Cat. I	Design Ref. 3/Cat. I
DN65 (2½")	CSF16	-		Design Ref. 1/Cat. I		Design Ref. 1/Cat. I	Design Ref. 3/Cat. I
	CSF16L	-		Design Ref. 1/Cat. II		Design Ref. 1/Cat. II	Design Ref. 3/Cat. II
DN80 (3")	CSF16H	-	Design Ref. 2/Cat. I		Design Ref. 2/Cat. I		Design Ref. 3/Cat. II
DN8 (1/4")	CSF16			Design Ref. 4/SEP			
DN10 (3/8")	CSF16	-		Design Ref. 4/SEP		Design Ref. 4/SEP	
DN15 (½")	CSF16			Design Ref. 4/SEP		Design Ref. 4/SEP	Design Ref. 5/SEP
DN20 (¾")	CSF16			Design Ref. 4/SEP		Design Ref. 4/SEP	Design Ref. 5/SEP
DN25 (1")	CSF16			Design Ref. 4/SEP		Design Ref. 4/SEP	Design Ref. 5/SEP
DN32 (11/4")	CSF16			Design Ref. 4/SEP		Design Ref. 4/SEP	Design Ref. 5/SEP
DN40 (1½")	CSF16	Fluoraz		Design Ref. 4/SEP		Design Ref. 4/SEP	Design Ref. 5/Cat. I
(all)	CSF16L			Design Ref. 4/Cat. I		Design Ref. 4/Cat. I	Design Ref. 5/Cat. I
DN50 (2")	CSF16H			Design Ref. 4/Cat. I		Design Ref. 4/Cat. I	Design Ref. 5/Cat. I
DN65 (2½")	CSF16			Design Ref. 4/Cat. I		Design Ref. 4/Cat. I	Design Ref. 5/Cat. I
DNI00 (011)	CSF16L			Design Ref. 4/Cat. II		Design Ref. 4/Cat. II	Design Ref. 5/Cat. II
DN80 (3")	CSF16H		Design Ref. 6/Cat. I	Design Ref. 4/Cat. II	Design Ref. 6/Cat. I	Design Ref. 4/Cat. II	Design Ref. 5/Cat. II
	CSF16L	Ctainlana ata-1			Design Ref. 6/Cat. II	Design Ref. 4/Cat. II	Design Ref. 5/Cat. II
DN100 (4")	CSF16H	Stainless steel Steel/			Design Ref. 6/Cat. II	Design Ref. 4/Cat. II	Design Ref. 5/Cat. II
	CSF16L	PTFE Spiral Wound			Design Ref. 6/Cat. II		
DN150 (6")	CSF16H	Gasket					

Not available

Filter Housings options matrix (continued)

CSF16T Filter Housing Options, PED Classification and Design Reference (PT Curve)


				ter Housings e/PED Category)	Flanged Filter Housings (Design reference/PED Category)		
Filter Housing Size	Filter Housing code	Filter Housing Seal Material	BSP/NPT (PN10 Rating)	BSP/NPT (PN16 Rating)	EN 1092 (PN10 Rating)	EN 1092 (PN16 Rating)	EN 1735-1 (Class 150 Rating)
DN8 (¼")	CSF16T			Design Ref. 7/SEP			
DN10 (3/8")	CSF16T			Design Ref. 7/SEP		Design Ref. 7/SEP	
DN15 (½")	CSF16T			Design Ref. 7/SEP		Design Ref. 7/SEP	Design Ref. 9/SEP
DN20 (¾")	CSF16T			Design Ref. 7/SEP		Design Ref. 7/SEP	Design Ref. 9/SEP
DN25 (1")	CSF16T			Design Ref. 7/SEP		Design Ref. 7/SEP	Design Ref. 9/SEP
DN32 (11/4")	CSF16T	FDM		Design Ref. 7/SEP		Design Ref. 7/SEP	Design Ref. 9/SEP
DN40 (1½")	CSF16T	EPM		Design Ref. 7/SEP		Design Ref. 7/SEP	Design Ref. 9/Cat. I
DNEO (OII)	CSF16LT			Design Ref. 7/Cat. I		Design Ref. 7/Cat. I	Design Ref. 9/Cat. I
DN50 (2")	CSF16HT			Design Ref. 7/Cat. I		Design Ref. 7/Cat. I	Design Ref. 9/Cat. I
DN65 (2½")	CSF16T			Design Ref. 7/Cat. I		Design Ref. 7/Cat. I	Design Ref. 9/Cat. I
DNI00 (211)	CSF16LT			Design Ref. 7/Cat. II		Design Ref. 7/Cat. II	Design Ref. 9/Cat. II
DN80 (3")	CSF16HT		Design Ref. 8/Cat. I		Design Ref. 8/Cat. I		Design Ref. 9/Cat. II
DN8 (1/4")	CSF16T			Design Ref. 10/SEP			
DN10 (3/8")	CSF16T			Design Ref. 10/SEP		Design Ref. 10/SEP	
DN15 (½")	CSF16T			Design Ref. 10/SEP		Design Ref. 10/SEP	Design Ref. 11/SEP
DN20 (¾")	CSF16T			Design Ref. 10/SEP		Design Ref. 10/SEP	Design Ref. 11/SEP
DN25 (1")	CSF16T			Design Ref. 10/SEP		Design Ref. 10/SEP	Design Ref. 11/SEP
DN32 (11/4")	CSF16T			Design Ref. 10/SEP		Design Ref. 10/SEP	Design Ref. 11/SEP
DN40 (1½")	CSF16T			Design Ref. 10/SEP		Design Ref. 10/SEP	Design Ref. 11/Cat. I
DN50 (2")	CSF16LT	Fluoraz		Design Ref. 10/Cat. I		Design Ref. 10/Cat. I	Design Ref. 11/Cat. I
DI430 (2)	CSF16HT			Design Ref. 10/Cat. I		Design Ref. 10/Cat. I	Design Ref. 11/Cat. I
DN65 (2½")	CSF16T			Design Ref. 10/Cat. I		Design Ref. 10/Cat. I	Design Ref. 11/Cat. I
DN80 (3")	CSF16LT			Design Ref. 10/Cat. II		Design Ref. 10/Cat. II	Design Ref. 11/Cat. II
D1400 (3)	CSF16HT		Design Ref. 12/Cat. I	Design Ref. 10/Cat. II	Design Ref. 12/Cat. I	Design Ref. 10/Cat. II	Design Ref. 11/Cat. II
DN100 (4")	CSF16LT				Design Ref. 12/Cat. II	Design Ref. 10/Cat. II	Design Ref. 11/Cat. II
DN 100 (4)	CSF16HT	Stainless steel Steel/ PTFE			Design Ref. 12/Cat. II	Design Ref. 10/Cat. II	Design Ref. 11/Cat. II
DN150 (6")	CSF16LT	Spiral Wound Gasket			Design Ref. 12/Cat. II		
	CSF16HT						

Not available

CSF16


Product Design Reference 1

	•			
Press	ure/temperature rating		PN16	
РМА	Maximum allowable pressure	16 bar g	232 psi g	
TMA	Maximum allowable temperature	178 °C	352 °F	
PMO	Maximum operating pressure for saturated steam service	8.5 bar g	123.3 psi g	
ТМО	Maximum operating temperature for saturated steam service	178 °C	352 °F	
Minimum allowable temperature		-5 °C	23 °F	
Minimum operating temperature		0 °C	32 °F	
Product is safe for use under full vacuum conditions				
Cold h	nydraulic test pressure	26.1 bar g	379 psi g	




Product Design Reference 2

Press	ure/temperature rating		PN10	
PMA	Maximum allowable pressure	10 bar g	145 psi g	
TMA	Maximum allowable temperature	178 °C	352 °F	
РМО	Maximum operating pressure for saturated steam service	8.5 bar g	123.3 psi g	
ТМО	Maximum operating temperature for saturated steam service	178 °C	352 °F	
Minim	um allowable temperature	-5 °C	23 °F	
Minimum operating temperature		0 °C	32 °F	
Product is safe for use under full vacuum conditions				
Cold I	nydraulic test pressure	16.3 bar g	236 psi g	



Product Design Reference 3


Press	ure/temperature rating		Class 150		
PMA	Maximum allowable pressure	18.4 bar g	266.8 psi g		
TMA	Maximum allowable temperature	178 °C	352 °F		
РМО	Maximum operating pressure for saturated steam service	8.5 bar g	123.3 psi g		
ТМО	Maximum operating temperature for saturated steam service	178 °C	352 °F		
Minim	um allowable temperature	-5 °C	23 °F		
Minimum operating temperature		0 °C	32 °F		
Produ	Product is safe for use under full vacuum conditions				
Cold	nydraulic test pressure	28 bar g	406 psi g		
	·				



CSF16 (continued)


Product Design Reference 4

Pressi	ure/temperature rating		PN16
PMA	Maximum allowable pressure	16 bar g	232 psi g
TMA	Maximum allowable temperature	220 °C	428 °F
РМО	Maximum operating pressure for saturated steam service	14.1 bar g	204.5 psi g
ТМО	Maximum operating temperature for saturated steam service	198.6 °C	389.4 °F
Minimum allowable temperature		-5 °C	23 °F
Minimum operating temperature		0 °C	32 °F
Product is safe for use under full vacuum conditions			
Cold h	ydraulic test pressure	26.1 bar g	379 psi g




Product Design Reference 5

Press	ure/temperature rating		Class 150	
РМА	Maximum allowable pressure	18.4 bar g	266.8 psi g	
TMA	Maximum allowable temperature	220 °C	428 °F	
PMO	Maximum operating pressure for saturated steam service	14 bar g	203 psi g	
ТМО	Maximum operating temperature for saturated steam service	198.3 °C	388.9 °F	
Minim	um allowable temperature	-5 °C	23 °F	
Minimum operating temperature		0 °C	32 °F	
Product is safe for use under full vacuum conditions				
Cold h	nydraulic test pressure	28 bar g	406 psi g	



Product Design Reference 6


Press	ure/temperature rating		PN10		
PMA	Maximum allowable pressure	10 bar g	145 psi g		
TMA	Maximum allowable temperature	220 °C	428 °F		
РМО	Maximum operating pressure for saturated steam service	9 bar g	130.5 psi g		
ТМО	Maximum operating temperature for saturated steam service	180 °C	356 °F		
Minim	um allowable temperature	-5 °C	23 °F		
Minim	Minimum operating temperature		32 °F		
Produ	Product is safe for use under full vacuum conditions				
Cold h	nydraulic test pressure	16.3 bar g	236 psi g		



CSF16T


Product Design Reference 7

Press	ure/temperature rating		PN16	
PMA	Maximum allowable pressure	16 bar g	232 psi g	
TMA	Maximum allowable temperature	178 °C	352 °F	
РМО	Maximum operating pressure for saturated steam service	8.5 bar g	123.3 psi g	
тмо	Maximum operating temperature for saturated steam service	178 °C	352 °F	
Minimum allowable temperature		-5 °C	23 °F	
Minimum operating temperature		0 °C	32 °F	
Product is safe for use under full vacuum conditions				
Cold h	nydraulic test pressure	25.5 bar g	370 psi g	




Product Design Reference 8

Press	Pressure/temperature rating PN1					
PMA	Maximum allowable pressure	10 bar g	145 psi g			
TMA	Maximum allowable temperature	178 °C	352 °F			
РМО	Maximum operating pressure for saturated steam service	8.5 bar g	123.3 psi g			
ТМО	Maximum operating temperature for saturated steam service	178 °C	352 °F			
Minim	um allowable temperature	-5 °C	23 °F			
Minim	um operating temperature	0 °C	32 °F			
Product is safe for use under full vacuum conditions						
Cold	nydraulic test pressure	15.9 bar g	231 psi g			



Product Design Reference 9


Pressure/temperature rating Class 15					
PMA	Maximum allowable pressure	19.3 bar g	279.9 psi g		
TMA	Maximum allowable temperature	178 °C	352 °F		
PMO	Maximum operating pressure for saturated steam service	8.5 bar g	123.3 psi g		
ТМО	Maximum operating temperature for saturated steam service	178 °C	352 °F		
Minim	um allowable temperature	-5 °C	23 °F		
Minim	um operating temperature	0 °C	32 °F		
Product is safe for use under full vacuum conditions					
Cold h	nydraulic test pressure	29 bar g	421 psi g		



CSF16T (continued)


Product Design Reference 10

Press	Pressure/temperature rating PN16					
PMA	Maximum allowable pressure	16 bar g	232 psi g			
TMA	Maximum allowable temperature	220 °C	428 °F			
РМО	Maximum operating pressure for saturated steam service	14.8 bar g	214.6 psi g			
TMO	Maximum operating temperature for saturated steam service	200.8 °C	393.4 °F			
Minim	um allowable temperature	-5 °C	23 °F			
Minim	um operating temperature	0 °C	32 °F			
Product is safe for use under full vacuum conditions						
Cold h	nydraulic test pressure	25.5 bar g	370 psi g			




Product Design Reference 11

Press	ure/temperature rating		Class 150	
PMA	Maximum allowable pressure	19.3 bar g	279.9 psi g	
TMA	Maximum allowable temperature	220 °C	428 °F	
РМО	Maximum operating pressure for saturated steam service	14 bar g	203 psi g	
ТМО	Maximum operating temperature for saturated steam service	198.3 °C	388.9 °F	
Minim	um allowable temperature	-5 °C	23 °F	
Minim	um operating temperature	0 °C	32 °F	
Product is safe for use under full vacuum conditions				
Cold h	nydraulic test pressure	29 bar g	421 psi g	



Product Design Reference 12

Press	Pressure/temperature rating PN10					
PMA	Maximum allowable pressure	10 bar g	145 psi g			
TMA	Maximum allowable temperature	220 °C	428 °F			
PMO	Maximum operating pressure for saturated steam service	9.4 bar g	136.3 psi g			
ТМО	Maximum operating temperature for saturated steam service	181.7 °C	359.1 °F			
MAT	Minimum allowable temperature	-5 °C	23 °F			
MOT	Minimum operating temperature	0 °C	32 °F			
Product is safe for use under full vacuum conditions						
Cold hydraulic test pressure 15.9 bar g 231 psi						





CSF16 and CSF16T filter housing options and corresponding filter elements

	Filter housing		Filter Element			
Filter Housing Size	Filter Housing code	Filter Housing Seal Material	1μm/ 5μm/ 25μm O-ring seal type	Filter element code	No. of elements per housing	
DN8 (1/4")	CSF16/ CSF16T			CSF16-SE 03/10	1	
DN10 (3/8")	CSF16/ CSF16T			CSF16-SE 04/10	1	
DN15 (½")	CSF16/ CSF16T			CSF16-SE 04/20	1	
DN20 (¾")	CSF16/ CSF16T			CSF16-SE 05/20	1	
DN25 (1")	CSF16/ CSF16T			CSF16-SE 05/25	1	
DN32 (11/4")	CSF16/ CSF16T	EPM	EPM	CSF16-SE 07/25	1	
DN40 (1½")	CSF16/ CSF16T	EPINI	EPIVI	CSF16-SE 07/30	1	
DN50 (011)	CSF16L/ CSF16LT			CSF16-SE 10/30	1	
DN50 (2")	CSF16H/ CSF16HT			CSF16-SE 15/30	1	
DN65 (2½")	CSF16/ CSF16T			CSF16-SE 20/30	1	
DN90 (2")	CSF16L/ CSF16LT			CSF16-SE 30/30	1	
DN80 (3")	CSF16H/ CSF16HT			CSF16-SE 30/50	1	
DN8 (1/4")	CSF16/ CSF16T			CSF16-SF 03/10	1	
DN10 (3/8")	CSF16/ CSF16T			CSF16-SF 04/10	1	
DN15 (½")	CSF16/ CSF16T			CSF16-SF 04/20	1	
DN20 (¾")	CSF16/ CSF16T			CSF16-SF 05/20	1	
DN25 (1")	CSF16/ CSF16T			CSF16-SF 05/25	1	
DN32 (11/4")	CSF16/ CSF16T	Fluoraz	Fluoraz	CSF16-SF 07/25	1	
DN40 (1½")	CSF16/ CSF16T	Fluoraz	Fluoraz	CSF16-SF 07/30	1	
DN50 (2")	CSF16L/ CSF16LT			CSF16-SF 10/30	1	
DN30 (2)	CSF16H/ CSF16HT			CSF16-SF 15/30	1	
DN65 (2½")	CSF16/ CSF16T			CSF16-SF 20/30	1	
DNIGG (GII)	CSF16L/ CSF16LT			CSF16-SF 30/30	1	
DN80 (3")	CSF16H/ CSF16HT			CSF16-SF 30/50	1	
DN400 (4")	CSF16L/ CSF16LT	Stainless steel		CSF16-SF 20/30	3	
DN100 (4")	CSF16H/ CSF16HT	Steel/ PTFE	Fluoraz	CSF16-SF 30/30	3	
DN150 (6")	CSF16L/ CSF16LT	Spiral Wound Gasket		CSF16-SF 30/30	4	

Page 9 of 18

Materials






bowl	Stainless steel	CSF16 CSF16T	1.4301*		
	Stairliess steel	CSF16T			
head			1.4404**		
nead	Chaimlean aheal	CSF16	1.4301*		
	Stainless steel	CSF16T	1.4404**		
			EP380 Fluoraz 890		
	For sizes DN100	and DN150. Stainless st	eel grade 1.4541 spiral wound gasket with PTFE filler		
ing (DN9 DN90)	Stainless steel	CSF16	1.4301*		
asing locking (Divo - Divou) Stainless		CSF16T	1.4404**		
		Outer core	1.4404		
r element	Stainless steel	End cap	1.4301		
		Weld filler	1.4576		
seal (2 off per element)	EPM or Fluoraz (see filter element options matrix)	EP380 Fluoraz 890		
	Stainless staal	For sizes DN8 to DN80 CSF16/CSF16T	A4 - 70		
	Stainless steel	For sizes DN100 and DN150 CSF16/CS	SF16T ASTM A276 316L		
Gasket Stainless ste				For sizes DN8 to DN80 CSF16/CSF16T	1.4571
		For sizes DN100 and DN150 CSF16/CS	SF16T 1.4301		
Flange		CSF16	1.4541		
	Stainless steel	CSF16T	1.4571		
s (DN100 and DN150)	Stainless steel		A2 - 70		
	seal (2 off per element)	(see filter housin For sizes DN100 ing (DN8 - DN80) Stainless steel r element Stainless steel Stainless steel Stainless steel Stainless steel Stainless steel	ing (DN8 - DN80) Stainless steel CSF16 CSF16T Outer core End cap Weld filler seal (2 off per element) Stainless steel Stainless steel Tor sizes DN8 to DN80 CSF16/CSF16T For sizes DN100 and DN150 CSF16/CSF16T Stainless steel Stainless steel Stainless steel Tor sizes DN8 to DN80 CSF16/CSF16T For sizes DN100 and DN150 CSF16/CSF16T Stainless steel CSF16 CSF16		

^{*1.4301 -} Material may also include grades 1.4307, 1.4404, 1.4432, 1.4435, 1.4541 and 1.4571 for manufacturing purposes. Weld filler will be 1.4430.

^{** 1.4404 -} Material may also include grades 1.4432, 1.4435 and 1.4571 for manufacturing purposes. Weld filler will be 1.4430.

Dimensions/volume and weights (approximate) in mm, litres and kg



			Dimensions									
Filter	Size		Α	B Screwed		B nged	С	D	E Ø	F Ø	Thread	Thread Y
				Screwed	PN	Class 150				, D	^	•
	1/4"	DN8	217	108			54	90	70	112	1/4"	G1/4"
	3/8"	DN10	245	108	180		54	120	70	112	1/4"	G1/4"
	1/2"	DN15	245	108	180	203	54	120	70	112	1/4"	G1/4"
CSF16	3/4"	DN20	269	125	202	230	54	150	70	112	1/4"	G1/4"
and CSF16T	1"	DN25	295	125	212	247	73	150	85	127	1/4"	G1/4"
	11/4"	DN32	347	140	220	254	73	200	85	127	1/4"	G1/4"
	1½"	DN40	386	170	254	294	92	200	104	148	1/4"	G1/4"
	2½"	DN65	737	216	306	356	106	580	129	178	1/4"	G1/4"
	2"	DN50	460	170	260	297	92	280	104	148	1/4"	G1/4"
CSF16L	3"	DN80	999	220	316	356	110	850	129	178	1/4"	G1/4"
and CSF16LT	4"	DN100	1042		410	500	195	850	219	340	1"	G1"
	6"	DN150	1420		480		267	850	273	395	1"	G1"
CSF16H and	2"	DN50	587	170	260	297	92	450	104	148	1/4"	G1/4"
	3"	DN80	1024	240	340	380	113	850	154	210	1/4"	G1/4"
CSF16HT	4"	DN100	1296		410	500	195	850	219	340	1"	G1"

Screwed BSP and NPT and flanged PN10, PN16 and Class 150

^{***} for PN10, PN16 and BSP versions bottom connection is G thread with a plug and seal.
*** for Class 150 and NPT versions bottom connection is NPT thread without a plug.

Volume and weights (approximate) in litres and kg

			Vo	ol.	Weight (kg) without element			
Filter			Litres					
	Size		Screwed	Flanged	Screwed	Flai	nged	
			Screwed	Flallyeu		PN	Class 150	
	1/4"	DN8	0.6		2.0			
	3/8"	DN10	0.7	0.7	2.1	3.4		
	1/2"	DN15	0.7	0.7	2.2	3.6	3.6	
CSF16	3/4"	DN20	0.8	0.85	2.4	4.4	4.4	
and CSF16T	1"	DN25	1.3	1.4	3.2	5.7	5.7	
	11/4"	DN32	1.6	1.8	3.7	7.2	7.2	
	1½"	DN40	2.8	3	5.2	8.9	8.9	
	2½"	DN65	9	9.4	8.1	14.6	15.9	
	2"	DN50	3.2	3.75	5.2	10.6	10.6	
CSF16L	3"	DN80	12.6	13	9.6	17.2	19.2	
and CSF16LT	4"	DN100		36		60.0	60.0	
	6"	DN150		75		85.0		
CSF16H	2"	DN50	4.5	4.7	5.8	11.2	11.2	
and	3"	DN80	17.8	18.3	13.2	20.9	22.2	
CSF16HT	4"	DN100		45		65.0	65.0	

Steam filter elements (weight in kg)

With EPM seals

Filter housing size	Filter housing code	Filter element code (EPM)	Number of elements per housing	Filter element (individual)
DN8 (1/4")	CSF16/CSF16T	CSF16-SE 03/10	1	0.2
DN10 (%")	CSF16/CSF16T	CSF16-SE 04/10	1	0.26
DN15 (½")	CSF16/CSF16T	CSF16-SE 04/20	1	0.37
DN20 (¾")	CSF16/CSF16T	CSF16-SE 05/20	1	0.45
DN25 (1")	CSF16/CSF16T	CSF16-SE 05/25	1	0.47
DN32 (11/4")	CSF16/CSF16T	CSF16-SE 07/25	1	0.57
DN40 (1½")	CSF16/CSF16T	CSF16-SE 07/30	1	1.27
DN50 (2")	CSF16L/CSF16LT	CSF16-SE 10/30	1	1.6
DN50 (2")	CSF16H/CSF16HT	CSF16-SE 15/30	1	2.25
DN65 (2½")	CSF16/CSF16T	CSF16-SE 20/30	1	2.77
DN80 (3")	CSF16L/CSF16LT	CSF16-SE 30/30	1	3.81
DN80 (3")	CSF16H/CSF16HT	CSF16-SE 30/50	1	4.98

With Fluoraz seals

Filter housing size	Filter housing code	Filter element code (Fluoraz)	Number of elements per housing	Filter element (individual)
DN8 (1/4")	CSF16/CSF16T	CSF16-SF 03/10	1	0.2
DN10 (%")	CSF16/CSF16T	CSF16-SF 04/10	1	0.26
DN15 (½")	CSF16/CSF16T	CSF16-SF 04/20	1	0.37
DN20 (¾")	CSF16/CSF16T	CSF16-SF 05/20	1	0.45
DN25 (1")	CSF16/CSF16T	CSF16-SF 05/25	1	0.47
DN32 (1¼")	CSF16/CSF16T	CSF16-SF 07/25	1	0.57
DN40 (1½")	CSF16/CSF16T	CSF16-SF 07/30	1	1.27
DN50 (2")	CSF16L/CSF16LT	CSF16-SF 10/30	1	1.6
DN50 (2")	CSF16H/CSF16HT	CSF16-SF 15/30	1	2.25
DN65 (2½")	CSF16/CSF16T	CSF16-SF 20/30	1	2.77
DN80 (3")	CSF16L/CSF16LT	CSF16-SF 30/30	1	3.81
DN80 (3")	CSF16H/CSF16HT	CSF16-SF 30/50	1	4.98
DN100 (4")	CSF16L/CSF16LT	CSF16-SF 20/30	3	2.77
DN100 (4")	CSF16H/CSF16HT	CSF16-SF 30/30	3	3.81
DN150 (6")	CSF16L/CSF16LT	CSF16-SF 30/30	4	3.81

Capacities


Saturated steam 1.0 bar g; DN50 CSF16 and CSF16T

Note: This sizing method will estimate the housing size for a given set of conditions. Contact Spirax Sarco for more accurate sizing if required.

25 micron element Flowrate look-up table*

Customer acceptable pressure drop in bar g	Flowrate value (Selection sizing step 2)
0.02	135
0.03	203
0.04	270
0.05	338
0.06	405
0.07	473

^{*}where not visible on the chart



Capacity correction factors for steam pressure

A minimum of 1 bar g positive pressure must be available

Steam pressure	bar g	1	2	3	4	5	6	7	8	9	10	11	12	13	14	14.8
Correction factor		1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5	5.5	6	6.5	7	7.5	7.9

Element size correction factors for filter element

DN8	DN10	DN15	DN20	DN25	DN32	DN40	DN50L
1/4"	3/8"	1/2"	3/4"	1"	11/4"	11/2"	2"L
0.08	0.13	0.17	0.25	0.39	0.50	0.67	1.00
DN50H	DN65	DN80L	DN80H	DN100L	DN100H	DN150L	
2"H	21/2"	3"L	3"H	4"L	4"H	6"	
1.50	2.00	2.70	4.00	6.00	8.00	10.67	
	1/4" 0.08 DN50H 2"H	½" 3%" 0.08 0.13 DN50H DN65 2"H 2½"	½" ¾" ½" 0.08 0.13 0.17 DN50H DN65 DN80L 2"H 2½" 3"L	½" ¾" ½" ¾" 0.08 0.13 0.17 0.25 DN50H DN65 DN80L DN80H 2"H 2½" 3"L 3"H	½" ¾" ½" ¾" 1" 0.08 0.13 0.17 0.25 0.39 DN50H DN65 DN80L DN80H DN100L 2"H 2½" 3"L 3"H 4"L	½" ¾" ½" ¾" 1" 1¼" 0.08 0.13 0.17 0.25 0.39 0.50 DN50H DN65 DN80L DN80H DN100L DN100H 2"H 2½" 3"L 3"H 4"L 4"H	½" ¾" ½" ¾" 1" 1¼" 1½" 0.08 0.13 0.17 0.25 0.39 0.50 0.67 DN50H DN65 DN80L DN80H DN100L DN100H DN150L 2"H 2½" 3"L 3"H 4"L 4"H 6"

Selection example

Select a steam filter for a flowrate of 850 kg/h with saturated steam pressure at 4 bar g.

A 5 micron rating is required with maximum 0.05 bar pressure drop allowed.

- Divide the flowrate required by the capacity correction factor for the operating steam pressure. In this case, 850 kg/h is divided by 2.5 for a flowrate value of 340.
- From the capacity graph, select the micron rating required. Note where this line intersects the maximum pressure drop and Step 2: go horizontally to read off the flowrate. In this case, the 5 micron line meets the 0.05 bar pressure drop allowed at a flowrate Note: For higher pressure drops when selecting a 25 micron filter element, use the flowrate lookup table above.
 - Divide the equivalent flow calculated in step (1) by the maximum flowrate in step (2).
- Step 3: Hence in this example, we have 340/100 = 3.4 factor.
- Step 4: From the element size correction factor table, select the nearest suitable conversion factor obtained in step (3) and select the appropriate element size. In the example DN80H CSF16 and CSF16T has a factor of 4.00. Note that if pressure drop must be minimized, always select the element based on a higher correction factor than that calculated.

Filter element

In steam/gas service, 100% of particles larger than the pore size chosen will be retained by the element. Selecting a pore size smaller than required will result in reduced service life and higher pressure drop.

Filter Element Efficiencies

	Particle Size (Micron)	Particle Count Before Filter (Per Minute)	Particle Count After Filter (Per Minute)	Efficiency - Air (%)	Efficiency - Steam (%)
	0.15	2288	343	85	82
Particle Retention Efficiency For	0.25	4522	180	99.96	96
CSF16-SE and CSF16-SF Steam Filter Elements - 1 Micron Rating	0.5	8634	43	99.995	97
	1	1533	0	100	98
	0.5	7288	1337	82	78
Particle Retention Efficiency For CSF16-SE and CSF16-SF Steam Filter	1	8244	329	99.96	96
Elements - 5 Micron Rating	2	20250	101	99.995	97
	5	1736	0	100	98
	10	8421	1515	82	78
Particle Retention Efficiency For	15	3592	144	99.96	96
CSF16-SE and CSF16-SF Steam Filter Elements - 25 Micron Rating	20	6489	32	99.995	97
	25	5440	0	100	98

Steam filter element life service guidelines

Filter Element type	Application	Service life	Additional notes
		Replace when 0.7 barg pressure drop is measured across the filter housing.	Filter Housings should be Installed, Commissioned and Operated in accordance with Sections 3, 4 and 5 of the Installation and Maintenance Instruction document IM-P180-42.
CSF16-SE or CSF16-SF	Steam	Alternatively, where pressure drop cannot be accurately measured:	Clean Steam Filter Housings and Filter elements are manufactured in accordance with EC1935:2004 (Materials and articles intended to come into contact with food). Therefore, it is recommended that Filter elements are replaced to maintain this compliance, and not cleaned.
		after 12 months from installation (lowest risk) up to a maximum of 36 months*	Cleaning of Filter Elements is not recommended because of the increased risk of introducing contamination to the process. Cleaning will only provide a short-term improvement in dirt holding capacity and will never return to 'as new' condition.

^{*}Service life durations are based upon Steam Systems being regularly maintained and best practice followed.

Safety information, installation and maintenance

For full details see the Installation and Maintenance Instructions (IM-P180-42) which is supplied with the product.

Warning

The steam filter elements CSF16 -SE and CSF16 - SF must never be subjected to more than 5 bar g differential pressure.

How to order

The following information must be specified when ordering a Spirax Sarco CSF filter:

Maximum steam flowrate	kg/h
Maximum steam pressure	bar g
Customer allowable pressure drop in bar g (from new)	0.07 bar g maximum recommended
Housing material	1.4301 or 1.4404
Size *	DN or NPS (") and 'H' or 'L' where applicable
Pipe connections	PN10, PN16, Class 150, BSP or NPT
Element rating	1, 5 or 25 micron
Filter housing seal or gasket material.	EPM, Fluoraz or Spiral wound stainless steel 1.4541/PTFE filler
3.1 Certification for SEP and Category I filter housings	Yes/No
3.1 Certification for filter element(s)	Yes/No

^{*} Note: For DN50, DN80 and DN100 the high capacity version is denoted by 'H' and low capacity by 'L'. For a 1.4404 housing version, the suffix 'T' must be added to the nomenclature e.g. CSF16T.
DN150 size is only available in low capacity "L" housing.

Supply

The CSF16 and CSF16T filter housings are supplied separately to the filter elements.

- 1. The filter housing head and bowl with housing seal or gasket are packed in one carton, complete with EN 10204 3.1 certification where applicable documentation and installation and maintenance instructions.
- The filter element complete with two seals.
 Note: DN100 and DN150 CSF16 and CSF16T require multiple elements See filter element selection table on page 9.

Note: The purpose of the filter is to remove (and retain) unwanted contamination. In time, the filter element will become saturated. To ensure a minimum downtime, we recommend that a spare filter element set is ordered at the same time as the CSF16 and CSF16T filter housing.

Example:

- 1 off Spirax Sarco DN20 CSF16 to pass 100 kg/h saturated steam at 9.0 bar g. Housing to be 1.4301 having NPT connections with Fluoraz seals.
- 1 off CSF16-SF 15/20 filter element having a 5 micron rating.
- 1 off CSF16-SF 15/20 spare filter element set having a 5 micron rating.
- 1 off 3.1 Certification (for filter housing)

Spare parts

The spare parts available are shown in solid outline. Parts drawn in a grey line are not supplied as spares.

Available spares

CSF16-SE or	SF filter element kit	5, 6 (2 off)
Seal kit	3, 6 (please see table b	elow for quantities)


Seal kit contents

Unit size	Housing seal (Part number 3)	Element seals (Part number 6)
DN8 - DN80	1	2
DN100	1	6
DN150L	1	8

How to order spares

Always order spares by using the description given in the column headed 'Available spares' and state the size and type of filter housing, filter element rating and housing/filter element seal material required.

Example: 1 off 5 micron CSF16 SE filter element kit for a Spirax Sarco DN25 CSF16 clean steam filter, with EPM filter element seals.






Table 1 Recommended tightening torques

Item	Part	or mm	*	N m
4		use C spanner		As required
7	DN8 - DN80	6 mm Hex	G1⁄4"	55
<i>'</i>	DN100 and DN150L	A/F 42	G1"	138
10	DN100	A/F 30	M20	180
10	DN150L	A/F 30	M20	260